

MATCHLINE - SEE SHEET IR-2

IRRIGATION LEGEND

Qty	Symbol	Description
8	■	TORO 8-H PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
1	◆	TORO 8-Q PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
2	■	TORO 8-T PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
48	⊙	TORO 10-H PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
2	⊙	TORO 10-Q PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
18	⊙	TORO 15-H PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
2	⊙	TORO 15-Q PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
1	■	TORO 4X15 RCS PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
2	■	TORO 4X30 SST PRECISION SERIES NOZZLE WITH HUNTER PROS-06-PRS30-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
1	⊙	HUNTER MP ROTATOR MP CORNER (TURQUOISE) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
22	⊙	HUNTER MP ROTATOR MP LEFT STRIP (IVORY) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
19	⊙	HUNTER MP ROTATOR MP RIGHT STRIP (COPPER) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
50	⊙	HUNTER MP ROTATOR MP SIDE STRIP (BROWN) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
27	⊙	HUNTER MP ROTATOR MP1000 180 DEG (MAROON) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
1	⊙	HUNTER MP ROTATOR MP1000 360 DEG (OLIVE) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
18	⊙	HUNTER MP ROTATOR MP1000 90 DEG (MAROON) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
12	⊙	HUNTER MP ROTATOR MP2000 90 DEG (BLACK) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
5	⊙	HUNTER MP ROTATOR MP2000 120 DEG (BLACK) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
57	⊙	HUNTER MP ROTATOR MP2000 180 DEG (BLACK) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
2	⊙	HUNTER MP ROTATOR MP2000 210 DEG (GREEN) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
5	⊙	HUNTER MP ROTATOR MP2000 360 DEG (RED) NOZZLE WITH HUNTER PROS-06-PRS40-CV 6" POP UP SPRINKLER ASSEMBLY - SEE DETAIL
19	⊕	HUNTER ICV-101G-AS 1" PRESSURE REGULATING DRIP REMOTE CONTROL VALVE ASSEMBLY WITH RAIN BIRD QCKCHK BASKET FILTER - SEE DETAIL
6	⊕	HUNTER ICV-101G-AS 1" PRESSURE REGULATING REMOTE CONTROL VALVE ASSEMBLY - SEE DETAIL
2	⊕	HUNTER ICV-151G-AS 1-1/2" PRESSURE REGULATING REMOTE CONTROL VALVE ASSEMBLY - SEE DETAIL
1	⊞	WEATHERMATIC SL1600-3YR-BUNDLE-FLOW - SMARTLINE 48 STATION ET BASED 2-WIRE WALL MOUNT CONTROLLER INCLUDES SLW5 WEATHER SENSOR AND SMARTLINK FLOW AIR CARD
13	⊟	HUNTER HQ-5RC 1" QUICK COUPLING VALVE ASSEMBLY - SEE DETAIL
8	⊟	MATCOO 10RS 2" THREADED RESILIENT WEDGE GATE VALVE ASSEMBLY - SEE DETAIL
1	⊟	NIBCO T113-IRR 1-1/2" BRONZE GATE ISOLATION VALVE ASSEMBLY - SEE DETAIL
2	⊟	LASCO 101N TUBV 1" PVC THREADED BALL VALVE FOR GOLF COURSE WATER FEATURE FILL - SEE DETAIL
52	⊟	MANUAL DRIP LINE FLUSH VALVE ASSEMBLY - SEE DETAIL
1	⊟	2" INCH NON-POTABLE TAP & WATER METER
2,900 LF	—	2" CL200 PVC SOLVENT WELD MAINLINE PIPE - 24" BURY
300 LF	—	1-1/2" CL200 PVC SOLVENT WELD MAINLINE PIPE - 24" BURY
4,140 LF	—	1" CL200 PVC SOLVENT WELD LATERAL PIPE - 18" BURY
100 LF	—	1-1/4" CL200 PVC SOLVENT WELD LATERAL PIPE - 18" BURY
120 LF	—	1-1/2" CL200 PVC SOLVENT WELD LATERAL PIPE - 18" BURY
260 LF	—	2" CL200 PVC SOLVENT WELD LATERAL PIPE - 18" BURY
1,000 LF	—	1" CL 200 PVC SOLVENT WELD PIPE TO ANNAUL BEDS - 18" BURY
7,000 LF	—	1" POLYETHYLENE DRIP HEADER TUBING
2,000 LF	—	2" CL200 PVC DRIP HEADER SLEEVE PIPE
100 LF	—	3" CL200 PVC LATERAL SLEEVE PIPE
860 LF	—	4" CL200 PVC MAINLINE SLEEVE PIPE WITH SEPARATE 3" CL200 PVC WIRE SLEEVE

IRRIGATION NOTES

- IRRIGATION SYSTEM DESIGNED FOR 50 PSI DYNAMIC PRESSURE. CONTRACTOR TO STATIC PRESSURE PRIOR TO INSTALLATION. STATIC PRESSURE MUST BE MINIMUM 70 PSI.
- ALL SLEEVE PIPE OPENINGS SHALL BE DOUBLE WRAPPED WITH 6 MIL POLYETHYLENE PLASTIC AND SECURED USING WIRE "ZIP" TIES AROUND SLEEVE AND PIPE.
- MINIMUM PIPE SIZE SHALL BE 1" DIAMETER UNLESS OTHERWISE NOTED ON PLAN.
- PIPE HOPS FOR DRIP LINE HEADER NOT SHOWN ON PLANS FOR CLARITY PURPOSES. UNDER NO CIRCUMSTANCES SHALL DRIP HEADER LINE BE CONNECTED TO LATERALS LINES OR MAINLINE.
- CONTRACTOR SHALL PROVIDE 120 VOLT 15 AMP ELECTRICAL SERVICE TO CONTROLLER LOCATION.
- ACTUAL CONTROLLER LOCATION SHALL BE DETERMINED IN THE FIELD BY OWNERS REPRESENTATIVE.
- DRIP EMITTERS SHALL BE PRESSURE COMPENSATING TYPE. DRIP EMITTER LOCATIONS ARE NOT SHOWN ON PLAN FOR GRAPHICAL PURPOSES. EMITTERS SHALL BE INSTALLED PER THE FOLLOWING QUANTITIES:
 #2 CONTAINER = TWO 0.5 GPH EMITTERS
 #5 CONTAINER = TWO 1.0 GPH EMITTERS
 2" CALIPER TREE = 36" DRIP RING W/ .6 GPH EMITTERS/24" SPACING
 6"- 8" CONIFER = 48" DRIP RING W/ .6 GPH EMITTERS/24" SPACING
 3" CALIPER TREE = 48" DRIP RING W/ .6 GPH EMITTERS/24" SPACING
- CONTRACTOR SHALL INSTALL WEATHERMATIC SLFSI-T20 2" FLOW SENSOR AT POINT OF CONNECTION LOCATION. INSTALL FLOW SENSOR DOWNSTREAM OF MASTER VALVE AND RUN MANUFACTURER RECOMMENDED COMMUNICATION WIRE TO CONTROLLER. AND MAKE ALL NECESSARY CONNECTIONS FOR PROPER OPERATION. FLOW SENSORS SHALL BE LINE SIZE AND INSTALLED PER MANUFACTURERS RECOMMENDATIONS.
- CONTRACTOR SHALL PROVIDE 3 YEARS OF WEB ACCESS SERVICE FOR THE CONTROLLER NETWORK. SUBSCRIPTION SHALL COMMENCE AT THE START OF THE FIRST OPERATIONAL GROWING SEASON.
- CONTRACTOR SHALL PROVIDE AND INSTALL WEATHERMATIC SLW5 WEATHER SENSOR AT CONTROLLER LOCATION.

TWO WIRE CONTROLLER NOTES


- TWO WIRE DECODER CONTROL WIRE SHALL BE WEATHERMATIC SLWIRE 14-2 TWISTED PAIR WIRE AND SHALL MEET ALL CONTROLLER MANUFACTURERS RECOMMENDATIONS.
- CONTRACTOR SHALL PROVIDE AND INSTALL WEATHERMATIC SLDEC SERIES DECODERS AS REQUIRED TO COMPLETE SYSTEM INSTALLATION AND OPERATION. MULTIPLE ADDRESS DECODERS MAY BE USED WHERE REMOTE CONTROL VALVES ARE IN CLOSE PROXIMITY TO EACH OTHER. ONLY ONE SOLENOID PER ADDRESS IS ALLOWED.
- INSTALL WEATHERMATIC SLGDT LIGHTNING ARRESTOR/SURGE PROTECTION AND GROUND GROUND ROD AT CONTROLLER LOCATION. CONTROL WIRE END, AND EVERY 500 LF OF CONTROL WIRE. GROUNDING MUST OBTAIN 10 OHMS OF RESISTANCE OR LOWER AS TESTED WITH APPROPRIATE EARTH GROUND RESISTANCE TESTER. EARTH GROUND TESTS SHALL BE PERFORMED BY A QUALIFIED TECHNICIAN PROVIDED BY THE CONTROLLER SUPPLIER.

VALVE ID KEY

A1	STATION NUMBER
13	PRECIPITATION RATE (in/hr)
1B2	STATION FLOW (GPH)
	VALVE SIZE

GENERAL NOTES

- THIS SYSTEM IS INTENDED TO UTILIZE A NON-POTABLE WATER SOURCE. ALL PIPING, SPRINKLERS, EMISSION DEVICES, AND CONTROL VALVES SHALL INCLUDE PURPLE, NON POTABLE WARNINGS AND MARKINGS.
- BACK FLOW PREVENTION, IF REQUIRED, SHALL BE INSTALLED TO MEET ALL LOCAL CODES.
- CONTOUR PLAN OF SITE NOT AVAILABLE AT TIME OF DESIGN. PLAN ASSUMES MAXIMUM ELEVATION DIFFERENCE OF +/- 10' BETWEEN POC AND CONTROL VALVE 1-13.
- ALL PIPING SHOWN ON PLANS IS DIAGRAMMATIC AND LOCATIONS SHOWN ARE FOR CLARITY ONLY. ALL PIPING SHALL BE ROUTED IN PLANTING AREAS AND SHALL AVOID TREE LOCATIONS. PIPING SHALL MAINTAIN A MINIMUM OF 10 LF FROM TREE ROOT BALLS.
- DRIP HEADER LINES SHOWN ON PLANS INDICATE PROXIMITY OF DRIP ZONES. ALL TREES AND SHRUBS SHALL INCLUDE EMITTERS AND/OR DRIP RINGS. REFER TO NOTES FOR EMITTER SIZE AND QUANTITIES. EMITTER LOCATIONS AND DISTRIBUTION TUBING NOT SHOWN ON PLANS FOR GRAPHICAL AND CLARITY PURPOSES. ZONES ARE DESIGNED TO ACCOMMODATE 5 GPM NOT TO EXCEED 10 GPM
- REMOTE CONTROL VALVES FOR TURF SHALL BE INSTALLED IN ADJACENT SHRUB BEDS OR WITHIN 2LF OF WALKWAYS AND CURBS OR IN TURF AREAS NOT CONTROLLED BY VALVE IN QUESTION.
- ANY QUANTITIES SHOWN ON PLAN ARE ESTIMATED QUANTITIES ONLY. FIELD CONDITIONS MAY VARY AND MAY ALTER ACTUAL QUANTITIES. CONTRACTOR TO VERIFY FIELD CONDITIONS PRIOR TO INSTALLATION.
- ALL SPRINKLER NOZZLES SHALL BE ADJUSTED FOR OPTIMUM COVERAGE AND MINIMUM OVERSPRAY.
- REMOTE CONTROL VALVES SHALL BE INSTALLED PER DETAILED DRAWINGS AND SHALL HAVE ONE CONTROL VALVE PER VALVE BOX.
- ALL ELECTRICAL WORK SHALL BE IN COMPLIANCE WITH N.E.C. AND ALL LOCAL CODES.
- CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY EXCAVATION.
- ALL TRENCHES SHALL BE BACKFILLED IN 6" LIFTS OF CLEAN SOIL FREE OF ROCKS AND RUBBISH AND COMPACTED TO 95% PROCTOR DENSITY. CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY EXCAVATION.
- CARE SHALL BE TAKEN TO ENSURE THAT NO SOIL OR DEBRIS ENTERS THE PIPE DURING INSTALLATION.
- ALL PIPE ENDS SHALL BE PROPERLY CLEANED AND SHALL BE FREE OF ANY BURRS AND/OR SHAVINGS AS A RESULT OF THE PIPE BEING CUT.
- ALL LINES SHALL BE THOROUGHLY FLUSHED PRIOR TO INSTALLATION OF NOZZLES.



CALL UTILITY NOTIFICATION
CENTER OF COLORADO
811
CALL 2 BUSINESS DAYS IN ADVANCE
BEFORE YOU DIG, GRADE, OR EXCAVATE
FOR THE MARKING OF UNDERGROUND
MEMBER UTILITIES.

Prepared By:
Kirby Smith & Associates, Inc.
Land Planning • Site Design • Landscape Architecture
6301 So. Hudson Ct., Centennial, CO 80121
(303) 694-9484 FAX (303) 694-9272
Job # 409

Smith
IRRIGATION DESIGN, LLC
946 HIGH CLIFFE STREET, HIGHLANDS RANCH, CO 80129
PHONE 303-471-7377 WWW.SMITH-IRRIGATION.COM

REVISIONS


DESCRIPTION	DATE

OWNER
SELECT DEVELOPMENT & CONTRACTING, LLC
660 EAST FRANKLIN ROAD, MERIDIAN, ID 83642

PROJECT
Woodlands
John Gantner
CROWN POINT DEVELOPMENT
PARKER, CO

COPYRIGHT
2015

Peter H. Rockwell, Architect
Architecture • Planning
595 S Americana Boulevard • Boise, Idaho 83702
(208) 345-0566 (208) 345-1718 Fax (208) 357-0899
office@pgrboise.com



CONSTRUCTION
DRAWINGS
IRRIGATION PLAN
NORTH

SHEET DATA
DRAWN BY: DJS
CHECKED BY: DJS
SCALE: 1" = 20'
DATE: 05/29/15
PROJECT #: 14001

SHEET NUMBER
IR-1



REVISIONS	
DESCRIPTION	DATE

OWNER


SELECT DEVELOPMENT & CONTRACTING, LLC
660 EAST FRANKLIN ROAD, MERIDIAN, ID 83642

PROJECT

Boomlocks
Fun Center
CROWN POINT DEVELOPMENT
PARKER, CO

COPYRIGHT 2015

Peter H. Rockwell, Architect
Architecture, Planning
595 S Americana Boulevard, Suite 1100, Lakota, CO 81702
(208) 345-0566 (208) 345-1718 Fax (208) 357-0889
office@prouse.com



CONSTRUCTION DRAWINGS
IRRIGATION PLAN
CENTER


SHEET DATA	
DRAWN BY:	DJS
CHECKED BY:	DJS
SCALE:	1" = 20'
DATE:	05/29/15
PROJECT #:	14001

SHEET NUMBER

IR-2

Prepared By:

Smith
IRRIGATION DESIGN, LLC
946 HIGH CLIFFE STREET, HIGHLANDS RANCH, CO 81029
PHONE 303-471-7377 WWW.SMITH-IRRIGATION.COM



CALL UTILITY NOTIFICATION
CENTER OF COLORADO
811
CALL 2 BUSINESS DAYS IN ADVANCE
BEFORE YOU DIG, GRADE, OR EXCAVATE
FOR THE MARKING OF UNDERGROUND
MEMBER UTILITIES.

NOTE: DRIP HEADER LINE SHALL BE INSTALLED IN LANDSCAPE AREAS. LOCATION SHOWN FOR CLARITY ONLY.

1-4
1" <10"
DRIP
PROPOSED CONTROLLER LOCATION. CONTRACTOR SHALL PROVIDE 120V 15AMP SERVICE TO CONTROLLER.

NOTE: LATERAL LINES MAY BE INSTALLED IN COMMON TRENCH.

1-5
1.12' 33.56"
0.43 IPH
1-6
1" 9.86"
0.53 IPH
1-7
1" <10"
MS/SPRAY
1-8
1" <10"
DRIP
1-9
1" <10"
DRIP

NOTE: ZONE 1-7 FOR ANNUAL BEDS ONLY. EMISSION DEVICES NOT SHOWN. CONTRACTOR TO PROVIDE HIGH EFFICIENCY SPRAY HEADS OR MICROSPRAY ADAPTERS ON 12" HIGH POP SPRINKLER BODIES. ALL BODIES MUST INCLUDE CHECK VALVES AND PRESSURE REGULATION

NOTE: ALL PIPING UNDER ANY HARDSCAPE SHALL BE SLEEVED IN CL200 PVC SLEEVE PIPE. LOCATIONS NOT SHOWN FOR CLARITY PURPOSES.

1" CL200 PVC GOLF COURSE POND AUTO FILL LINE. INSTALL LASCO 101N TUBV ISOLATION VALVE. AUTO FILL CONTROL VALVE BY GOLF COURSE CONTRACTOR.

1-10
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.0'

1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'

1-18
1" <10"
DRIP
RETAINING WALL T.O.W. - 5.5'

1-17
1" <10"
MS/SPRAY
RETAINING WALL T.O.W. - 3.5'

1-16
1" 14.43"
1.87 IPH
RETAINING WALL T.O.W. - 6.0'

NOTE: ZONE 1-17 FOR ANNUAL BEDS ONLY. EMISSION DEVICES NOT SHOWN. CONTRACTOR TO PROVIDE HIGH EFFICIENCY SPRAY HEADS OR MICROSPRAY ADAPTERS ON 12" HIGH POP SPRINKLER BODIES. ALL BODIES MUST INCLUDE CHECK VALVES AND PRESSURE REGULATION

RETAINING WALL T.O.W. - 5.5'

WATER SHOT HOLE

RETAINING WALL T.O.W. - 3.5'

RETAINING WALL T.O.W. - 6.0'

POSSIBLE DOCK THEME STRUCTURE
POSSIBLE PIRATE SHIP/FISHING BOAT

RETAINING WALL T.O.W. - 3.5'

1" CL200 PVC GOLF COURSE POND AUTO FILL LINE. INSTALL LASCO 101N TUBV ISOLATION VALVE. AUTO FILL CONTROL VALVE BY GOLF COURSE CONTRACTOR.

NOTE: ZONE 1-14 FOR ANNUAL BEDS ONLY. EMISSION DEVICES NOT SHOWN. CONTRACTOR TO PROVIDE HIGH EFFICIENCY SPRAY HEADS OR MICROSPRAY ADAPTERS ON 12" HIGH POP SPRINKLER BODIES. ALL BODIES MUST INCLUDE CHECK VALVES AND PRESSURE REGULATION

1-15
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.0'

1-14
1" <10"
MS/SPRAY
RETAINING WALL T.O.W. - 9.0'

1-13
1" 20.44"
0.44 IPH
RETAINING WALL T.O.W. - 6.0'

NOTE: ALL PIPING UNDER ANY HARDSCAPE SHALL BE SLEEVED IN CL200 PVC SLEEVE PIPE. LOCATIONS NOT SHOWN FOR CLARITY PURPOSES.

RETAINING WALL T.O.W. - 7.0'

RETAINING WALL T.O.W. - 6.0'

RETAINING WALL T.O.W. - 9.0'

POSSIBLE KIOSK LOCATION
MINI-GOLF CONTROL
ENTRANCE FEATURE AND SIGNAGE FOR MINI-GOLF

POWDER KEG HOLE
PROPOSED SPOT GRADE (TYPICAL)

1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'

1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'

1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'

1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'

1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'


1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'

1-11
1" 11.88"
1.42 IPH
RETAINING WALL T.O.W. - 9.5'

1-12
1" <10"
DRIP
RETAINING WALL T.O.W. - 9.5'

E-470



Prepared By:
Kirby Smith & Associates, Inc.
Land Planning • Site Design • Landscape Architecture
6201 So. Hudson Ct., Centennial, CO 80112
(303) 694-8484 FAX (303) 694-9272
Job # 409

CALL UTILITY NOTIFICATION
CENTER OF COLORADO
811
CALL 2 BUSINESS DAYS IN ADVANCE
BEFORE YOU DIG, GRADE, OR EXCAVATE
FOR THE MARKING OF UNDERGROUND
MEMBER UTILITIES.

Smith
IRRIGATION DESIGN, LLC
946 HIGH CLIFFE STREET, HIGHLANDS RANCH, CO 80129
PHONE 303-471-7377 WWW.SMITHIRRIGATION.COM

REVISIONS	
DESCRIPTION	DATE

OWNER
SELECT DEVELOPMENT & CONTRACTING, LLC
660 EAST FRANKLIN ROAD, MERIDIAN, ID 83642

PROJECT
Woodlands
John Gantner
CROWN POINT DEVELOPMENT
PARKER, CO

COPYRIGHT 2015

Peter H. Rockwell, Architect
Architecture • Planning
595 S Americana Boulevard • Boise, Idaho 83702
(208) 345-0566 (208) 345-1718 Fax (208) 357-0899
office@pgrbosc.com



CONSTRUCTION DRAWINGS
IRRIGATION PLAN SOUTH

SHEET DATA
DRAWN BY: DJS
CHECKED BY: DJS
SCALE: 1" = 20'
DATE: 05/29/15
PROJECT # 14001

SHEET NUMBER
IR-3

